

CATALOGUE

OTHER HAND TOOLS - Cutting Tools & Drill

SHAOXING JIUTAI IMP. & EXP. CO., LTD.

ADD: 8/F, A building, Jiayi Plaza.No.127, Renmin (E) Rd. Xinchang Shaoxing, Zhejiang, China


TEL: 86 575 86028004 86623004 86033674

Wechat : longsharptools What'sApp: + 86 18006850990





Steel Files



Size: 6" 8" 10" 12"

- * Made of high quality carbon steel T12A.
- * Packing with paper box
- * HS.Code: 82031000

1. FLAT STEEL FILE

6" 50 Doz/Qty G.W.: 42Kgs Meas: 42x22x14cm 8" 20 Doz/Qty G.W.: 39Kgs Meas: 30x28x14cm 10" 10 Doz/Qty G.W.: 26Kgs Meas: 34x18x15cm 12" 10 Doz/Qty G.W.: 44Kgs Meas: 44x33x19cm

2. HALF ROUND STEEL FILE

6" 25 Doz/Qty G.W.: 25Kgs Meas: 43x24x16cm 8" 15 Doz/Qty G.W.: 27Kgs Meas: 28x26x13cm 10" 10 Doz/Qty G.W.: 32Kgs Meas: 34x20x15cm 12" 8 Doz/Qty G.W.: 41Kgs Meas: 46x32x13cm

3. ROUND STEEL FILE

6" 100 Doz/Qty G.W.: 36Kgs Meas: 44x24x15cm 8" 50 Doz/Qty G.W.: 40Kgs Meas: 35x30x28cm 10" 30 Doz/Qty G.W.: 43Kgs Meas: 42x37x19cm 12" 20 Doz/Qty G.W.: 40Kgs Meas: 44x30x20cm

4. SQUARE STEEL FILE

6" 50 Doz/Qty G.W.: 32Kgs Meas: 48x24x15cm 8" 30 Doz/Qty G.W.: 31Kgs Meas: 37x30x16cm 10" 20 Doz/Qty G.W.: 40Kgs Meas: 39x29x18cm 12" 10 Doz/Qty G.W.: 36Kgs Meas: 45x24x18cm

5. TRIANGULAR STEEL FILE

6" 50 Doz/Qty G.W.: 32Kgs Meas: 43x26x18cm 8" 30 Doz/Qty G.W.: 25Kgs Meas: 52x22x12cm 10" 20 Doz/Qty G.W.: 31Kgs Meas: 31x24x20cm 12" 10 Doz/Qty G.W.: 26Kgs Meas: 44x19x19cm

6. SLIM TAPER SAW FILE

4" 200 Doz/Qty G.W.: 35Kgs Meas: 32x30x20cm 5" 100 Doz/Qty G.W.: 30Kgs Meas: 34x20x19cm 6" 50 Doz/Qty G.W.: 24Kgs Meas: 39x23x22cm

7. HEAVY REGULAR TAPER SAW FILE

6" 100 Doz/Qty G.W.: 36Kgs Meas: 38x28x18cm 8" 50 Doz/Qty G.W.: 30Kgs Meas: 38x31x20cm

LS 1401

3 Pcs/Set Steel Files



Size: FLAT STEEL FILE 8" 1PCS
HALF ROUND STEEL FILE 8" 1PCS
ROUND STEEL FILE 8" 1PCS

- * Made of high quality carbon steel T12A.
- * Packing with Blister Card 50Set/Qty G.W.: 20 Kgs Meas:32x29x16cm

LS 1403

3 Pcs/Set Combined Files



Size: FLAT STEEL FILE 8" 1PCS
HALF ROUND STEEL FILE 8" 1PCS
TRIANGULAR STEEL FILE 8" 1PCS

- * Made of high quality carbon steel T12A.
- * Packing with Blister Card 50Set/Qty G.W.: 20 Kgs Meas:32x29x16cm

LS 1405

5 Pcs/Set Combined Files



Size: FLAT STEEL FILE 8" 1PCS
HALF ROUND STEEL FILE 8" 1PCS
ROUND STEEL FILE 8" 1PCS
TRIANGULAR STEEL FILE 8" 1PCS
SQUARE STEEL FILE 8" 1PCS
50Set/Qty G.W.: 24 Kgs Meas:45x40x15cm

LS 140

2 Pcs/Set Steel Files



Size: FLAT STEEL FILE 8"
TRIANGULAR STEEL FILE 8"

- * Made of high quality carbon steel T12A.
- * Packing with Blister Card

50Set/Qty G.W.: 16 Kgs Meas:32x29x16cm

LS 1404

4 Pcs/Set Combined Files



Size: FLAT STEEL FILE 8" 1PCS

HALF ROUND STEEL FILE 8" 1PCS

ROUND STEEL FILE 8" 1PCS

TRIANGULAR STEEL FILE 8" 1PCS

- * Made of high quality carbon steel T12A.
- * Packing with paper Card 50Set/Qty G.W.: 22 Kgs Meas:38x31x16cm

LS 1408

10 Pcs/Set Combined Files



Size: HALF ROUND STEEL FILE 8" 2PCS
FLAT STEEL FILE 6" 1PCS, 8" 1PCS, 10" 1PCS
ROUND STEEL FILE 6" 1PCS
TRIANGULAR STEEL FILE 6" 1PCS
FLAT PANEL FILE 1PCS
PLASTIC HANDLE 2 PCS

3 Pcs/Set Wood Rasp Files



Size: FLAT WOOD RASP FILE 8" 1PCS
HALF ROUND WOOD RASP FILE 8" 1PCS
ROUND WOOD RASP FILE 8" 1PCS

- * Made of high quality carbon steel 45#.
- * Packing with Blister Card

50Set/Qty G.W.: 16 Kgs Meas:32x29x16cm

LS 1411

3 Pcs/Set Wood Rasp Files



Size: FLAT WOOD RASP FILE 8" 1PCS
HALF ROUND WOOD RASP FILE 8" 1PCS
ROUND WOOD RASP FILE 8" 1PCS

- * Made of high quality carbon steel 45#.
- * Packing with Blister Card





Twist Drill



Size: Dia.:1.0mm,1.5mm,2.0mm,3mm,
3.5mm,4mm,4.5mm,5mm,5.5mm,
6.0mm,6.5mm, 7.0mm,7.5mm,8.0mm,
8.5mm,9mm,9.5mm,10mm,10.5mm,11mm,
11.5mm,12mm,12.5mm,13mm.

- * Made of High quality HSS steel.
- * Dispose of nigrescence.
- * packing with plastic bag
- * HS Code: 82075010

LS 1434

Masonry Drills with nickel plating



Size: Dia.: 3mm,4mm,4.5mm,5mm,
5.5mm,6mm,6.5mm,7.0mm,7.5mm,8.0mm,
8.5mm,9mm,9.5mm,10mm, 11mm,12mm,
13mm.14mm,16mm,18mm,20mm,22mm,
24mm,25mm

- * Made of High quality HSS steel.
- * Dispose of nickel plating.
- * packing with plastic bag

LS 1438

Tile & Glass Drills



LS 1431

Twist Drill



Size: Dia.:1.0mm,1.5mm,2.0mm,3mm, 3.5mm,4mm,4.5mm,5mm,5.5mm, 6.0mm,6.5mm, 7.0mm,7.5mm,8.0mm, 8.5mm,9mm,9.5mm,10mm,10.5mm,11mm, 11.5mm,12mm,12.5mm,13mm.

- * Made of High quality HSS steel.
- * Dispose of polishing.
- * packing with plastic bag

LS 1436

Hammer Drills



Size: Dia.: 4mm - 25mm
Length: 75mm - 500mm

- * Made of High quality HSS steel.
- * Hammer Drills for Steel & Granite
- * packing with PVC bag, Plastic Tube, Henger, Skin card,blister card etc.
- * HS Code: 82075010

4mm Length: 65mm 5mm Length: 65mm
6mm Length: 65mm 7mm Length: 65mm
8mm Length: 70mm 9mm Length: 70mm
10mm Length: 85mm 11mm Length: 85mm
12mm Length: 90mm 12.5mm Length: 90mm
13mm Length: 90mm 14mm Length: 95mm
15mm Length: 100mm

- * Made of High quality steel.
- * packing with Skin card.

LS 143

Twist Drill



Size: Dia.:1.0mm,1.5mm,2.0mm,3mm,
3.5mm,4mm,4.5mm,5mm,5.5mm,
6.0mm,6.5mm, 7.0mm,7.5mm,8.0mm,
8.5mm,9mm,9.5mm,10mm,10.5mm,11mm,
11.5mm,12mm,12.5mm,13mm.

- * Made of High quality HSS steel.
- * Dispose of copperize.
- * packing with plastic bag

LS 1437

Hammer Chisel



Size:

- * Made of High quality HSS steel.
- * Hammer Drills for Steel & Granite
- * packing with PVC bag, Plastic Tube, Henger, Skin card,blister card etc.





6 Pcs/Set HSS Straight Shank Twist Drill



Size: 2mm,3mm,4mm, 5mm,6mm, 8.0mm

- * Made of High quality HSS steel.
- * Twist Drill for wood, metal and plastic.
- * packing with blister card
- * HS Code: 82075010

LS 1454

9 Pcs/Set Compounding Drills



Size: Twist Drills for metal:

5mm,6mm,8mm.

Twist Drills for wood: 5mm,6mm,8mm.

Masonry Drills for Masonry:

5mm,6mm,8mm.

- * Made of High quality HSS steel.
- * Drill for wood, metal and Masonry.
- * packing with double blister card.

LS 1451

6 Pcs/Set HSS Straight Shank Twist Drill



Size: 2mm,3mm,4mm, 5mm, 6mm, 8.0mm

- * Made of High quality HSS steel.
- * Twist Drill for wood, metal and plastic.
- * packing with plastic box.

LS 1455

13 Pcs/Set HSS Straight Shank Twist Drill



Size: 2mm,2.5mm,3mm,3.5mm,4mm, 4.5mm,5mm,5.5mm,6mm,6.5mm, 7mm,7.5mm,8mm

- * Made of High quality HSS steel.
- * Twist Drill for wood, metal and plastic.
- * packing with plastic box.

LS 145

13 Pcs/Set HSS Straight Shank Twist Drill



Size: 1.5mm,2mm,2.5mm,3mm,3.2mm, 3.5mm,4mm,4.5mm,4.8mm,5mm, 5.5mm, 6mm,6.5mm

- * Made of High quality HSS steel.
- * Twist Drill for wood, metal and plastic.
- * packing with double blister card.

LS 1456

8 Pcs/Set HSS Straight Shank Twist Drill



Size: 1.5mm,2mm,2.5mm,3mm,4mm, 5mm,6mm,6.5mm

- * Made of High quality HSS steel.
- * Twist Drill for wood, metal and plastic.
- * packing with plastic box.

LS 1457

13Pcs/Set Twist Drill



Size: 2mm,2.5mm,3mm,3.5mm,4mm,
4.5mm,5mm,5.5mm,6mm,6.5mm,
7mm,7.5mm,8mm

- * Made of High quality HSS steel.
- * Twist Drill for wood, metal and plastic.





Thin Type Cutting Disc



Size: 4" x 1/8" x 5/8" (100x3x16mm)

4" x 5/32" x 5/8" (100x4x16mm)

4" x 3/16" x 5/8" (100x5x16mm)

4" x 1/4" x 5/8" (100x6x16mm)

5" x 1/4" x 5/8" (125x5x16mm)

5" x 1/4" x 7/8" (125x6x22mm)

6" x 1/4" x 7/8" (150x6x22mm)

7" x 1/4" x 7/8" (180x6x22mm)

9" x 1/4" x 7/8" (230x6x22mm)

10" x 1/8" x 1" (250x3x25.4mm)

12" x 1/8" x 1" (350x3x25.4mm)

14" x 1/8" x 1" (400x3x25.4mm)

- * Made of imported specially-made woven Fiber glass and resin as reinforcement.
- * High performance of anti-tensile, shock resistance and bending strength.
- * Used for high power cutting machines, Stainless steel; Alloy etc hard metal with excellent performance of sharpness
- * HS.Code: 6804210000

LS 1461

Special Thin Cutting Disc



Size: 4" x 1/25" x 5/8" (105x1x16mm)

5" x 1/20" x 7/8" (125x1.2x22.2mm)

6" x 1/20" x 7/8" (150x1.2x22.2mm)

7" x 1/20" x 7/8" (180x1.2x22.2mm)

9" x 1/20" x 7/8" (230x1.2x22.2mm)

- * Special Super Thin Cutting Disc For Stainless Steel
- * Made of high quality fiber glass and resin
 As reinforcement. with first grade WA
 as abrasives, after high temperature
 harded. it has the excellent performance
 of quick cutting with less burr.
- * Features: Long life, sharpness, high efficiency and safety.

LS 1463

Pneumatic Special Resin Genter-Depressed Disc



Size: 4" x 1/4" x 5/8" (100x6x16mm)
5" x 1/4" x 5/8" (125x6x16mm)
5" x 1/4" x 7/8" (100x6x22.2mm)
6" x 1/4" x 7/8" (150x6x22.2mm)
7" x 1/4" x 7/8" (180x6x22.2mm)
9" x 1/4" x 7/8" (230x6x22.2mm)

- * Used for all kinds of metal, steel for cutting. Derusting, polishing, Deburring etc surface finish.
- * Features: Long life, sharpness, high efficiency and safety.

LS 1462

Reinforcement Resin-Bonden Center-Depressed Disc



Size: 4" x 1/8" x 5/8" (100x3x16mm)

4" x 5/32" x 5/8" (100x4x16mm)

4" x 3/16" x 5/8" (100x5x16mm)

4" x 1/34" x 5/8" (100x6x16mm)

5" x 1/4" x 5/8" (125x6x16mm)

5" x 1/4" x 7/8" (125x6x22mm)

6" x 1/4" x 7/8" (150x6x22mm)

7" x 1/4" x 7/8" (180x6x22mm)

9" x 1/4" x 7/8" (230x6x22mm)

- * Made of first grade aluminium oxde and reinforcement fiber glass through high temperature harded. it has the feature of anti-tensil,shock resistance and bending strength.
- * Features: Long life, sharpness, high efficiency and safety.
- * Suitable for diffr cutting machines, Cutting all kinds of big diameter steel.railway bar and ateel tubes etc.
- * HS.Code: 6804210000





Twist Knotted Bowl Brushes



Size: 2-1/2"(65 mm) 3"(75 mm) 4"(100 mm) 5"(125 mm) 6"(150 mm)

* Made of High quality steel wires.

LS 1473

Shaft-Mounted Cup Brushes



Size: 2" (50mm) 2-1/2"(65 mm) 3"(75 mm)

* Made of High quality steel wires.

LS 1476

Twist Knoted Bowl Brushes



Size: 2-1/2"(65 mm) 3"(75 mm) 4"(100 mm) 5"(125mm)

2-1/2"(65 mm) RPM max: 12500

Packing: 100 pcs/Qty, Meas: 44x35x36cm

3"(75 mm) RPM max: 12500

Packing: 80 pcs/Qty, Meas: 43x34x30cm

4"(100 mm) RPM max: 8500

Packing: 80 pcs/Qty, Meas: 43x34x30cm

5"(125 mm) RPM max: 6500

Packing: 40 pcs/Qty, Meas: 55x24x36cm

LS 1471

Twist Knotted Cup Brushes



Size: 2-1/2"(65 mm) 3"(75 mm) 4"(100 mm) 5"(125 mm)

* Made of High quality steel wires.

* HS.Code: 9603501100

LS 1474

Shaft-Mounted Wheel Brushes



Size: 2" (50mm) 2-1/2" (65 mm) 3" (75 mm) 4" (100 mm)

* Made of High quality steel wires.

LS 1477

Cup Brushes With Hole



Size: 4"(100 mm) 5"(125mm)

* Made of High quality steel wires.

4"(100 mm) RPM max: 12500

Packing:100 pcs/Qty,Meas: 51x29x22cm

5"(125 mm) RPM max: 12500

Packing:100pcs/Qty, Meas: 51x30x24cm

LS 14

Twist Knotted Conical Circular Wire Brushes



Size: 4"(100 mm) 5"(125 mm)

* Made of High quality steel wires.

LS 1475

Shaft-Mounted Cup Brushes



Size: 2-1/2"(65 mm)

3"(75 mm)

* Made of High quality steel wires.

LS 1478

Machinery Circular Brushes



Size: 5"(125 mm) RPM max: 6000 6"(150 mm) RPM max: 6000

8"(200 mm) RPM max: 4500

, , , ,

10"(250 mm) RPM max: 3000

* Made of High quality steel wires.





Steel Wire Brush



Size: 3# 4# 5# 6#

- * Made of High quality steel wires.
- * Harded Wooden handle
- * HS.Code: 9603501100

LS 1484

American Style Steel Wire Brush



Size: 4# x 15

- * Made of High quality steel wires.
- * Plastic handle

10 Doz/Qty G.W.: 20 Kgs Meas: 56x32x35cm

LS 1486

Knife Style Steel Wire Brush



Size:

- * Made of High Quality Steel Wires .
- * Plastic handle
- * Packing: 10 Doz/Qty G.W.:20 Kgs Meas: 61x29x21cm

* HS.Code: 9603501100

LS 1481

Stainless Steel Wire Brush



Size: 3# 4# 5# 6#

- * Made of High quality Stainless steel wires
- * Harded Wooden handle
- * HS.Code: 9603501100

LS 1485

American Style Steel Wire Brush



Size: 4# 5# 6#

- * Made of High quality steel wires.
- *4# 10 Doz/Qty G.W.:14 Kgs Meas: 51x28.5x32cm
- 5# 10 Doz/Qty G.W.:16 Kgs Meas: 51x28.5x34cm
- 6# 10 Doz/Qty G.W.:18 Kgs Meas: 51x28.5x36cm

LS 1488

Knife Style Brass Wire Brush



Size

- * Made of High quality Brass wires .
- * Plastic handle
- * Packing: 10 Doz/Qty G.W.:20 Kgs

Meas: 61x29x21cm

* HS.Code: 9603501100

LS 148

Brass Wire Brush



Size: 3# 4# 5# 6#

- * Made of High quality Brass Wire.
- * Harded Wooden handle
- # Packing: 10 Doz/Qty G.W.: 14 Kgs

Meas: 46x32x30cm

4# Packing: 10 Doz/Qty G.W.: 16 Kgs


Meas: 46x32x35cm

5 # Packing: 10 Doz/Qty G.W.: 18 Kgs

Meas: 46x32x40cm

6 # Packing: 10 Doz/Qty G.W.: 20 Kgs

Meas: 46x32x44cm
* HS.Code: 9603501100







Whatsapp



Wechat

