



# CATALOGUE

Other Hand Tools - Plumbing & Welding Tools

**SHAOXING JIUTAI IMP. & EXP. CO., LTD.**

ADD: 8/F, A building, Jiayi Plaza.No.127, Renmin (E) Rd. Xinchang Shaoxing, Zhejiang, China

TEL: 86 575 86028004 86623004 86033674

Wechat : longsharptools

What'sApp: + 86 18006850990

2024

LS 1500

## PVC Tube Cutter knife



Size: 1-5/8" (42mm)

- \* Knife blade made of quality carbon steel
- \* Cutting for PVC,PP-R tubes.

The tube Max. diameter: 1-5/8"(42mm)

\* HS code:82055900

LS 1501

## PVC Tube Cutter knife



Size: 1-5/8" (42mm)

- \* Knife blade made of quality carbon steel
- \* Cutting for PVC,PP-R tubes.

The tube Max. diameter: 1-5/8"(42mm)

\* Packing with blister Card

LS 1502

HOT

## PVC Tube Cutter knife



Size: 1-5/8" (42mm)

- \* Knife blade made of quality carbon steel
- \* Cutting for PVC,PP-R tubes.

The tube Max. diameter: 1-5/8"(42mm)

\* 48pcs/Qty G.W.:18/kgs MEAS:50X29X35cm

LS 1503

NEW

## PVC Tube Cutter knife



Size: 1-5/8" (42mm)

- \* Knife blade made of quality carbon steel
- \* Cutting for PVC,PP-R tubes.

The tube Max. diameter: 1-5/8"(42mm)

\* 48pcs/Qty G.W.:19/kgs MEAS:50X29X35cm

LS 1504

## High Quality PVC Tube Cutter knife



Size: 1-5/8" (42mm)

- \* Knife blade made of quality carbon steel
- \* Cutting for PVC,PP-R tubes.

The tube Max. diameter: 1-5/8"(42mm)

\* 48pcs/Qty G.W.:19/kgs MEAS:50X29X35cm

LS 1506

## Small PVC Tube Cutter knife



Size: 32mm

- \* Knife blade made of quality carbon steel
- \* Cutting for PVC,PP-R tubes.

The tube Max. diameter: 32mm

\* 100pcs/Qty G.W.:18/kgs MEAS:46X27X28cm

LS 1510

## American Type Light Pipe Wrenches



Size: 8" 10" 12" 14" 18" 24" 36"

- \* Made of quality carbon steel & cast iron
- \* Red Baking finished

\* Packing with thin plastic bag & paper box

\* HS.Code:82032000

LS 1511

## American Type Heavy Pipe Wrenches



Size: 10" 12" 14" 18" 24" 36" 48"

- \* Made of quality carbon steel & cast iron
- \* Red Baking finished

\* Packing with thin plastic bag & paper box

LS 1512

## American Type Heavy Pipe Wrenches



Size: 10" 12" 14" 18" 24" 36" 48"

- \* Made of quality carbon steel & cast iron
- \* Red Baking finished. Dipped pvc handle

\* Packing with thin plastic bag & paper box



LS 1513

**British Type Pipe Wrenches**



Size: 10" 12" 14" 18" 24" 36" 48"  
 \* Made of quality carbon steel & cast iron  
 \* Red Baking finished. Dipped pvc handle  
 \* Packing with thin plastic bag & paper box

LS 1520

**Bent Nose Pipe Wrenches**



Size: 3/4" 1" 1-1/2" 2" 3" 4"  
 \* Made of high quality carbon steel.  
 \* Red Baking finished  
 1" 36 pcs/Qty G.W.:30kgs Meas:33x22x17cm  
 2" 12 pcs/Qty G.W.:28kgs Meas:59x25x11cm

LS 1524

**Sweden Style Bent Nose Pipe Wrenches**



Size: 1" 1-1/2" 2"  
 \* Made of high quality carbon steel.  
 \* Red Baking finished  
 1" 48pcs/Qty G.W.:20kgs Meas: 39x25x21.6cm  
 1-1/2" 36 pcs/Qty G.W.:27kgs Meas: 37x31x22cm  
 2" 24 pcs/Qty G.W.:35.kgs Meas: 42x34x24cm

LS 1514

**Slanting Type Pipe Wrenches**



Size: 8" 10" 12" 14" 18" 24" 36"  
 \* Made of quality carbon steel & cast iron  
 \* Red Baking finished  
 \* Packing with thin plastic bag & paper box

LS 1521

**American Style Portable Bent Nose Pipe Wrenches**



Size: 3/4" 1" 1-1/2" 2" 3" 4"  
 \* Made of high quality carbon steel.  
 \* Red Baking finished  
 \* Dipped pvc handle  
 3" 8 pcs/Qty G.W.:29kgs Meas: 70x19x10cm

LS 1530

**Multifunctional Pipe Tonge**



Size: 6" 8" 10"  
 \* Made of high quality carbon steel.  
 \* Baking finished  
 6" 72 pcs/Qty G.W.:19kgs Meas: 48x16.5x11.5cm  
 8" 60 pcs/Qty G.W.:20.5kgs Meas: 40x21.5x14cm  
 10" 48 pcs/Qty G.W.:20.5kgs Meas: 42x27x11.5cm

**Packing Data:**

8" (200mm) 60 pcs/Qty G.W.:27kgs  
 Meas: 57x19.5x11cm  
 10" (250mm) 36 pcs/Qty G.W.:24kgs  
 Meas: 41.5x25x9.5cm  
 12" (300mm) 32 pcs/Qty G.W.:32kgs  
 Meas: 30x28x16cm  
 14" (350mm) 24 pcs/Qty G.W.:33kgs  
 Meas: 32x31x13.5cm  
 18" (450mm) 12 pcs/Qty G.W.:26kgs  
 Meas: 40.5x24.5x10.5cm  
 24" (600mm) 8 pcs/Qty G.W.:31kgs  
 Meas: 55.5x14x17cm  
 36" (900mm) 6 pcs/Qty G.W.:35kgs  
 Meas: 81x15.5x12.5cm

LS 1522

**American Style Bent Nose Pipe Wrenches**



Size: 3/4" 1" 1-1/2" 2" 3" 4"  
 \* Made of high quality carbon steel.  
 \* Red Baking finished  
 \* Dipped pvc handle  
 4" 6pcs/Qty G.W.:25kgs Meas:77x25x15cm

LS 1536

**Pipe Cutter Knife**



Size: No 2 No 3  
 \* High Quality Pipe Cutter Knife  
 \* Cutting for steel Pipe etc.  
 NO.2 Packing: 10pcs/Qty G.W.:27/kgs  
 MEAS: 43.5X32X26CM  
 NO.3 Packing: 5pcs/Qty G.W.:28/kgs  
 MEAS: 55X32X19CM



LS 1540

## PTFE Seal Tape



Size: 12mm(1/2") x0.075mmx12M  
 19mm (3/4")x12M 25mm (1")X 12M

- \* Thickness: 0.075mm. N.W.: 0.3g/cm3
- \* Packing each with plastic shell.
- \* HS. Code: 39209910

LS 1541

## PTFE Seal Tape



Size: 12mm(1/2") x0.075mmx10M  
 19mm (3/4")x10M 25mm (1")X 10M

- \* Thickness: 0.075mm. N.W.: 0.16g/cm3
- \* Packing each with plastic shell.
- Packing: 1000 pcs/Qty Meas: 57x29x36.5cm

LS 1542

## PTFE Seal Tape



Size: 12mm(1/2") x0.075mmx10M  
 19mm (3/4")x10M 25mm (1")X 10M

- \* Thickness: 0.075mm. N.W.: 0.4g/cm3
- \* Packing each with plastic shell.
- Packing:1000pcs/Qty Meas: 57x29x36.5cm

LS 1543

## PTFE Thread Seal Tape




Size: 12mm(1/2") x0.1mmx12M  
 19mm (3/4")x12M 25mm (1")X 12M

- \* Thickness: 0.1mm. N.W.: 0.5g/cm3
- \* Packing each with plastic shell.
- Packing:1000 pcs/Qty Meas: 57x29x36cm

LS 1544

## PTFE Seal Tape



Size: 19mm (3/4") x15M 25mm (1")X15M

- \* Thickness: 0.2mm. N.W.: 0.2g/cm3
- \* Packing each with plastic shell.
- Packing:1000pcs/Qty G.W.: 18 Kgs  
 Meas: 57x29x36.5cm

LS 1545

## PTFE Seal Tape



Size: 25mm (1") x 0.075mm x 15M

- \* Thickness: 0.075mm. N.W.: 0.3g/cm3
- \* Packing each with plastic shell.
- Packing:1000 pcs/Qty G.W.: 18 Kgs  
 Meas: 57x29x36.5cm

LS 1546

## PTFE Seal Tape



Size: 12mm(1/2") x0.075mmx12M  
 19mm (3/4")x0.075mmx12M

- \* Thickness: 0.075mm. N.W.: 0.25g/cm3
- \* Packing each with plastic shell.
- \* HS. Code: 39209910



LS 1560

American Type Electrode Holder



Size: 300A 500A

- \* American Type Electrode Holder
- \* Current Capacity: 300A or 500A
- 25p/Qty G.W.:26/kgs MEAS:55.5×34×23cm

LS 1561

American Type Electrode Holder



Size: 300A 500A

- \* American Type Electrode Holder
- \* Current Capacity: 300A or 500A
- 25p/Qty G.W.:16/kgs MEAS:44×26×22.5cm

LS 1562

Japanese Type Electrode Holder



Size: 300A 500A

- \* Japanese Type Electrode Holder
- \* Current Capacity: 300A or 500A
- 50p/Qty G.W.:21/kgs MEAS:47×38×25cm

LS 1563

Japanese Type Electrode Holder



Size: 300A 500A

- \* Japanese Type Electrode Holder
- \* Current Capacity: 300A or 500A
- 50p/Qty G.W.:21/kgs MEAS:47×38×25cm
- \* HS code: 8515900000

LS 1564

German Type Electrode Holder



Size: 300A 500A

- \* German Type Electrode Holder
- \* Current Capacity: 300A or 500A
- 50p/Qty G.W.:24/kgs MEAS:47×39×27cm

LS 1565

Korea Type Electrode Holder



Size: 300A 500A

- \* Korea Type Electrode Holder
- \* Current Capacity: 300A or 500A
- 50p/Qty G.W.:25/kgs MEAS:47×39×27cm

LS 1566

Korea Type Electrode Holder



Size: 300A 500A

- \* Korea Type Electrode Holder
- \* Current Capacity: 300A or 500A
- 50p/Qty G.W.:25/kgs MEAS:47×39×27cm
- \* HS code: 8515900000

LS 1567

Netherlands Type Electrode Holder



Size: 300A 500A

- \* Netherlands Type Electrode Holder
- \* Current Capacity: 300A or 500A
- 25p/Qty G.W.:12/kgs MEAS:41.5×24×21cm
- \* HS code: 8515900000

LS 1568

Netherlands Type Electrode Holder



Size: 300A 500A

- \* Netherlands Type Electrode Holder
- \* Current Capacity: 300A or 500A
- 25p/Qty G.W.:12/kgs MEAS:41.5×24×21cm
- \* HS code: 8515900000



LS 1569

Netherlands Type Electrode Holder



Size: 300A 500A

\* Netherlands Type Electrode Holder

\* Current Capacity: 300A or 500A

25p/Qty G.W.:12/kgs MEAS:41.5×24×21cm

LS 1570

Italian Type Electrode Holder



Size: 150A

\* Italian Type Electrode Holder

\* Current Capacity: 150A

50p/Qty G.W.:10/kgs MEAS:36.5×31×21cm

LS 1571

Italian Type Electrode Holder



Size: 200A 300A

\* Italian Type Electrode Holder

\* Current Capacity: 200A or 300A

50p/Qty G.W.:21/kgs MEAS:51.5×21×26cm

LS 1572

Italian Type Electrode Holder



Size: 500A

\* Italian Type Electrode Holder

\* Current Capacity: 500A

25p/Qty G.W.:12/kgs MEAS:51.5×21×26cm

LS 1580

American Type Earthing Clamp For Welding



Size: 300A 500A

\* Current Capacity: 300A & 500A

\* High Quality

50pcs/Qty G.W.:18/kgs MEAS: 54×31×23CM

\* HS code: 8515900000

LS1581

Japanese Type Earthing Clamp For Welding



Size: 300A

\* Current Capacity: 300A

\* High Quality

50pcs/Qty G.W.:18/kgs MEAS: 54×31×23CM

\* HS code: 8515900000

LS 1582

Netherlands Type Earthing Clamp for Welding



Size: 500A

\* Current Capacity: 500A

\* High Quality


50pcs/Qty G.W.:18/kgs MEAS: 54×31×23CM

\* HS code: 8515900000



LS 1584

Netherlands Type Earthing Clamp




Size: 300A 500A

- \* Immerging molding
- \* Current Capacity: 300A & 500A
- 50pcs/Qty G.W.:18/kgs MEAS: 50×43×23CM

LS 1585

American Type Earthing Clamp



Size: 300A 500A

- \* Immerging molding
- \* Current Capacity: 300A & 500A
- 50pcs/Qty G.W.:21/kgs MEAS: 58×39×26CM

LS 1590

Glass Blade For Welding



Size: 5MM

- \* Glass Blade For Welding
- \* Packing with thin plastic bag.
- 1500pcs/Qty G.W.:22/kgs MEAS: 32x32x13cm
- \* HS code: 68129900

LS 1591

Shade Blade For Welding



Size: 10# 12#

- \* Shade Blade For Welding
- \* Packing with thin plastic bag
- 10# (108x50x3mm) packing: 500pcs/Qty
- G.W.:21/kgs MEAS: 32x32x13cm
- 12# (108x83x3mm) packing: 250pcs/Qty
- G.W.:20/kgs MEAS: 38x25x13cm

LS 1600

Welding Mask



Size:

- \* Red MG paper outside Hand-hold
- \* High Quality
- 50pcs/Qty G.W.:14/kgs MEAS: 62×48×30CM
- \* HS code: 68129900

LS 1601

Welding Mask



Size:

- \* Red MG paper outside Hand-hold
- \* High Quality
- 50pcs/Qty G.W.:14/kgs MEAS: 62×48×30CM

LS 1602

Vulcaniged Fibre Welding Mask



Size:

- \* Vulcaniged Fibre Welding Mask
- \* High Quality
- 30pcs/Qty G.W.:10/kgs MEAS: 46×45×30CM



LS 1603

## Vulcanized Fibre Welding Mask



Size:

- \* Vulcanized Fibre Welding Mask
- \* High Quality
- 25pcs/Qty G.W.:10/kgs MEAS: 48×43×45CM

LS 1606

## Welding Mask



Size:

- \* High Quality Desk-top Welding Mask
- \* 25pcs/Qty G.W.:13/kgs MEAS: 47×45×49CM
- \* HS code: 68129900

LS 1610

## Welding Mask



Size:

- \* High Quality Desk-top Welding Mask
- 30pcs/Qty G.W.:14.5/kgs MEAS: 53×43×55CM

LS 1611

## Welding Mask



Size:

- \* High Quality Desk-top Welding Mask
- 30pcs/Qty G.W.:14kgs MEAS: 60×50×50CM\*
- HS code: 6812990000

LS 1612

## Automatic Welding Mask



Size:

- \* High quality Automatic Welding Mask
  - \* Out protection Lens: 108 x 88mm
  - Viewing Area: 99.5 x 46.5mm
  - UV/IR Production: Up to Shade DIN 16 at all time
  - \* Fashion design, reasonable ergonomic structure, comfortable & convenient to use.
  - \* Material & weight: the mask is made of Special Nylon, and higher enough strength and operation temperature for welding, it fire resistance.
  - \* Power Supply: by solar cells and 2x3V lithium batteries, the batteries can be replaced.
  - \* Color: Suitable for various color paint and decals. Dimension: 340x220x190mm
- The product have attestation with EN379, EN175, CE & ANSI Z87.1 etc.
- Packing with a color paper box. Meas: 265x260x290mm
- 4pcs/Qty G.W.:5 kgs MEAS: 540x534x316mm  
Or 20pcs/Qty G.W.:20 kgs MEAS: 742x534x440mm

LS 1613

## Automatic Welding Mask



Size:

- Cartridge: 110x90x13mm
- Viewing Area: 90x40mm
- UV/IR Production: Up to Shade DIN 15 at all time
- Light Shade No.: DIN4
- Dark Shade No.: DIN 9 to Din 13 Stepless adjustment

Power Supply: 2 AAA batteries

Power Switch: Fully Automatic Circuit work instructions

Switching time: Light to Dark : under 0.3ms

Dark to light: 0.2-0.4s

Operating Temperature: -5 to 55 C Total

Weight: 480g

Packing with color box. 4pcs/Qty G.W.:4 kgs MEAS: 48.5x46x37CM





LS 1620

PVC Protective Masks



Size:

- \* High Quality PVC Protective Masks
- \* 40pcs/Qty G.W.:12/kgs MEAS: 48×40×45CM
- \* HS code: 68129900

LS 1622

PVC Protective Masks



Size:

- \* High Quality PVC Protective Masks
- \* 40pcs/Qty G.W.:20/kgs MEAS:50×43×65CM
- \* HS code: 68129900

LS 1624

Splash-Proof Face Shield



Size:

- \* High Quality Splash-Proof Face Shield
- \*30pcs/Qty G.W.:17.5/kgs MEAS:52×45×55CM

LS 1626

Face Shield



Size:

- \* High Quality Face Shield
- \* 24pcs/Qty G.W.:5/kgs MEAS: 50×43×34CM

LS 1628

Face Shield




Size:

- \* High Quality Face Shield
- \* 30pcs/Qty G.W.:13/kgs MEAS: 50×48×40CM

LS 1630

Welding Safety goggle




Size:

- \* High Quality Welding goggle
- \* Packing with blister card
- 100pcs/Qty G.W.:13/kgs MEAS: 51×39×39CM
- \* HS code: 68129900

LS1631

Welding Safety goggle



Size:

- \* High Quality Welding goggle
- \* Packing with blister card
- 100pcs/Qty G.W.:14/kgs MEAS: 51×39×39CM
- \* HS code: 68129900

LS 1632

Welding Safety goggle



Size:

- \* High Quality Welding goggle
- \* Packing with blister card
- 100pcs/Qty G.W.:13/kgs MEAS: 51×39×39CM
- \* HS code: 68129900



LS 1633

## Welding Safety goggle



**Size:**

\* High Quality Welding goggle

\* Packing with blister card

100pcs/Qty G.W.:14/kgs MEAS: 51×39×39CM

\* HS code: 68129900

LS 1634

## Welding Safety goggle



**Size:**

\* High Quality Welding goggle

\* Packing with blister card

100pcs/Qty G.W.:15/kgs MEAS: 51×39×39CM

\* HS code: 68129900







Whatsapp



Wechat

 Skype : longsharptools

 <https://twitter.com/Longsharptools>

 <https://www.instagram.com/longsharptool/>

 <https://www.facebook.com/profile.php?id=100088553560550>



**C-MAN**